


O1 OUT GROUND CONCRETE ENCASED FOOTING
- 1:10 SECTION



02 IN GROUND CONCRETE ENCASED FOOTING

1:10 SECTION


TYPICAL DETAILS
Drawing
STANDARD POST FIXING
OPTIONS

DETAILS FOR INFORMATION ONLY. SUBJECT TO ENGINEERS APPROVAL ON A JOB BY JOB BASIS.

NOT FOR CONSTRUCTION.

•		5		1	2	E	Ī	N		F	71	_1	
9	S	0	ι	U	t	Ì	0	n.	S				
				- 1	12			004	704	477		040	0000

	Date	18.10.2017
	Scale	1:10
-	Revision	Δ




TYPICAL DETAILS
Drawing
CONCRETE GROUND SLAB
FIXING

DETAILS FOR INFORMATION ONLY. SUBJECT TO ENGINEERS APPROVAL ON A JOB BY JOB BASIS. NOT FOR CONSTRUCTION.



18.10.2017
Scale
1:10



O1 CONNECTION TO FOOTING
- 1:10 SECTION

TYPICAL DETAILS


FIXING OF SCREW PILE TO STRIP FOOTING Notes


DETAILS FOR INFORMATION ONLY. SUBJECT TO ENGINEERS APPROVAL ON A JOB BY JOB BASIS.


NOT FOR CONSTRUCTION.





18.10.2017
Scale
1:10
Revision














01 VERTICAL LOAD WITH UPLIFT
- 1:20 SECTION

TYPICAL DETAILS

Drawing

88.9 PILE VERTICAL LOAD (RECESSED 1M) WITH UPLIFT

tes

DETAILS FOR INFORMATION ONLY. SUBJECT TO ENGINEERS APPROVAL ON A JOB BY JOB BASIS. NOT FOR CONSTRUCTION.

SCREW PILE
S O L U t i O n S
www.screwpilesolutions.co.nz 021 391 477 09 212 8986

07.07.2018
Scale 1:20

Revision B